产品使用说明书 IN STALLATION MANUAL

PRODCUT: 3" S/S 201 ZHISHEGN V.2 STYLE ROLL BAR WITH HIGH BASE

PRECAUTION



- 1 For the convenience of installation, please read the product installation manual carefully before installation. Pay attention to protect surface of your car to avoid scratches.
- 2.Please check regularly whether all accessories connected to the car are loose or not to ensure safety using
- 3. All the pictures in this manual are for reference only. The pictures may be different from the actual product, but the installation method is the same.

ACCESSORIES

| NUM | ACCESSORIES | QTY | REMARK | PICTURE |
|-----|--------------------|-----|--------|---------|
| | FRONT MAIN PART | | | |
| 2 | REAR MAIN PART | | | |
| 3 | SIDE PLATE (R) | 1 | | |
| | SIDE PLATE (L) | 1 | | |
| 5 | BOTTOM PLATE (L&R) | | | |

| NUM | ACCESSORIES | QTY | REMARK | PICTURE |
|-----|----------------------------|-----|--------|---------|
| 6 | FLAT HEAT RIVET NUT-M10 | 4 | | |
| | NUT M8 | 10 | | |
| 8 | INNER HEX BOLT | 10 | | |
| 9 | FLAT WASHER | 28 | | |
| 10 | SPRING WASHER | 18 | | |
| | ALLEN WRENCH S5 | 1 | | YC |
| 12 | HEX BOLT | 8 | | |

Note: Do not tighten the bolts or nuts at the first time. Please leave some adjustment space for subsequent installation.

INSTALLATION







